

## Fungicide/Bactericide EPA Reg. No. 80289-3-10163

## FOR DISTRIBUTION AND USE ONLY WITHIN IDAHO, WASHINGTON, & OREGON

**FIFRA §2(ee) RECOMMENDATION:** This recommendation is made as permitted under FIFRA Section 2(ee) and has not been submitted to or approved by the United States Environmental Protection Agency (EPA).

## **DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. This product bulletin must be in the possession of the user at the time of pesticide application of Badge <sup>®</sup> SC Fungicide/Bactericide. This labeling contains supplemental instructions that may not appear on the product label. All applicable directions, restrictions, and precautions on the product label are to be followed.

CROP	DISEASE	RATE/ACRE (PINTS PER ACRE)	MAX. APP. RATE/YEAR (PINTS PRODUCT/A	USE INSTRUCTIONS
Potato	Aerial Stem Rot (Erwinia [Pectobacterium] carotovora) (suppression)	1-3	88.15	Apply 1to 2.5 pints at 5 to 10 day intervals starting when plants are 2 to 6 inches high in locations where disease is light. Apply up to 3 pints per acre when disease is more severe. Under conditions of severe disease, control with BADGE SC will be improved by tank mixing with other compatible fungicides registered for use on potatoes. Read and follow all label instructions of tank mix partners. Use the higher rates when conditions favor disease development.

Badge is a registered trademark of Isagro ID# 14-2-2



Manufactured by Isagro SpA for: Isagro USA, Inc., 430 Davis Drive, Suite 240, Morrisville, NC 27560



Distributed by: Gowan Company LLC P.O. Box 5569 Yuma, AZ 85366-5569