

1 Identification

· **Product identifier**

· **Trade name:** SCORPION® 35SL Insecticide

EPA Registration No.: 10163-317

· **CAS Number:** Active Ingredient: Dinotefuran (35%), CAS:165252-70-0

· **Application of the substance / the mixture** Agricultural Insecticide

· **Details of the supplier of the safety data sheet**

· **Manufacturer/Supplier:**

Gowan Company

P.O. Box 5569

Yuma, Arizona 85366-5569

(928) 783-8844

· **Information department:** sds@gowanco.com

· **Emergency telephone number:**

Chemtrec® Emergency Telephone 24 - Hours: (Spills, leak or fire) Inside U.S. & Canada: (800) 424-9300

Outside the U.S. & Canada: +011 (703) 527-3887

For medical emergency (Prostar®): (888) 478-0798

2 Hazard(s) identification

· **Classification of the substance or mixture**



Acute Tox. 4 H302 Harmful if swallowed.

Aquatic Acute 2 H401 Toxic to aquatic life.

· **Label elements**

· **GHS label elements**

The product is classified and labeled according to the Globally Harmonized System (GHS).

· **Hazard pictograms**



GHS07

· **Signal word** Warning

· **Hazard statements**

H302 Harmful if swallowed.

H401 Toxic to aquatic life.

· **Hazard description:**

Harmful if absorbed through skin. Harmful if swallowed. Causes moderate eye irritation. Avoid contact with skin, eyes or clothing. Wear long-sleeved shirt, long pants, socks, shoes and gloves. Wear protective eyewear.

· **Classification system:**

· **NFPA ratings (scale 0 - 4)**



Health = 1

Fire = 1

Reactivity = 0

HAZARD INDEX:

4 Severe Hazard

3 Serious Hazard

Safety Data Sheet

acc. to OSHA HCS

Printing date 12/11/2018

Reviewed on 12/11/2018

Trade name: SCORPION® 35SL Insecticide
EPA Registration No.: 10163-317

(Contd. of page 1)

2 Moderate Hazard
 1 Slight Hazard
 0 Minimal Hazard

- **Other hazards**
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable in US.
- **vPvB:** Not applicable in US.

3 Composition/information on ingredients

- **Chemical characterization: Mixtures**
- **Description:** Only the identities of the active ingredient(s) and any hazardous inert ingredients are listed.

- **Dangerous components:**

CAS: 165252-70-0	Dinotefuran  Aquatic Chronic 2, H411;  Skin Irrit. 2, H315; Eye Irrit. 2A, H319; STOT SE 3, H335; Aquatic Acute 2, H401	35.0%
------------------	--	-------

4 First-aid measures

- **Description of first aid measures**
- **General information:**
 Have the product container or label with you when calling a poison control center or doctor, or going for treatment.
 You may also contact 1-888-478-0798 for emergency medical treatment information.
- **After skin contact:**
 - Take off contaminated clothing.
 - Rinse skin immediately with plenty of water for 15-20 minutes.
 - Call a poison control center or doctor for treatment advice.
- **After eye contact:**
 - Hold eye open and rinse slowly and gently with water for 15-20 minutes.
 - Remove contact lenses, if present, after first 5 minutes, then continue rinsing eyes.
 - Call a poison control center or doctor for treatment advice.
- **After swallowing:**
 - Call a poison control center or doctor immediately for treatment advice.
 - Have person sip a glass of water if able to swallow.
 - Do not induce vomiting unless told to do so by a poison control center or doctor.
 - Do not give anything by mouth to an unconscious person.
- **Information for doctor:**
 - **Most important symptoms and effects, both acute and delayed** Unknown
 - **Indication of any immediate medical attention and special treatment needed** None

5 Fire-fighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:**
 CO₂, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- **Special hazards arising from the substance or mixture**
 Carbon dioxide (CO₂)
 Nitrogen oxides (NO_x)

(Contd. on page 3)

US

Safety Data Sheet

acc. to OSHA HCS

Printing date 12/11/2018

Reviewed on 12/11/2018

Trade name: SCORPION® 35SL Insecticide
EPA Registration No.: 10163-317

(Contd. of page 2)

· **Advice for firefighters**

Products of combustion from fires involving this material may be toxic. Avoid breathing smoke and mists. Avoid personnel and equipment contact with fallout and runoff. Minimize the amount of water used for fire fighting. Do not enter any enclosed area without full protective equipment, including self-contained breathing equipment. Contain and isolate runoff and debris for proper disposal. Decontaminate personal protective equipment and fire fighting equipment before reuse. Read the entire document. This material is not expected to burn or explode in normal conditions, but will burn violently if involved in a fire.

· **Protective equipment:** Wear self-contained respiratory protective device.

6 Accidental release measures

· **Personal precautions, protective equipment and emergency procedures**

Wear protective equipment. Keep unprotected persons away.

· **Environmental precautions:**

This pesticide is toxic to aquatic invertebrates. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not apply when weather conditions favor drift from treated areas. Drift and runoff from treated areas may be hazardous to aquatic organisms in water adjacent to treated areas. Do not dispose of equipment washwaters or rinsate into a natural drain or water body. Do not contaminate water when disposing of equipment washwaters or rinsate.

This compound is highly toxic to honey bees. The persistence of residues and potential residual toxicity of Dinotefuran in nectar and pollen suggests the possibility of chronic toxic risk to honey bee larvae and the eventual instability of the hive.

This product is toxic to bees exposed to residue for more than 38 hours following treatment. Do not apply this product to blooming, pollen-shedding or nectar-producing parts of plants if bees may forage on the plants during this time period, unless the application is made in response to a public health emergency declared by appropriate state or federal authorities.

Dinotefuran and its degradate, MNG have the properties and characteristics associated with chemicals detected in groundwater. The high water solubility of Dinotefuran, and its degradate, MNG, coupled with their very high mobility, and resistance to biodegradation indicates that these compounds have a strong potential to leach to the subsurface under certain conditions as a result of label use. The use of this product in areas where soils are permeable, particularly where the water table is shallow, may result in ground water contamination.

· **Methods and material for containment and cleaning up:**

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

· **Reference to other sections**

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

· **Handling:**

· **Precautions for safe handling**

Harmful if absorbed through skin. Harmful if swallowed. Causes moderate eye irritation. Avoid contact with skin, eyes or clothing. Wear long-sleeved shirt, long pants, socks, shoes and gloves. Wear protective eyewear.

· **Information about protection against explosions and fires:** Keep ignition sources away - Do not smoke.

(Contd. on page 4)

Safety Data Sheet

acc. to OSHA HCS

Printing date 12/11/2018

Reviewed on 12/11/2018

Trade name: SCORPION® 35SL Insecticide
EPA Registration No.: 10163-317

(Contd. of page 3)

- **Conditions for safe storage, including any incompatibilities**
 - **Storage:**
 - **Requirements to be met by storerooms and receptacles:**
Keep pesticide in original container. Do not put concentrate or dilute into food or drink containers. Store in a cool, dry place. Do not store diluted spray.
 - **Information about storage in one common storage facility:** Store away from foodstuffs.
 - **Further information about storage conditions:** Store in a cool, dry place.
 - **Specific end use(s)** No further relevant information available.

8 Exposure controls/personal protection

- **Additional information about design of technical systems:** Not applicable; see item 7 Handling and storage.
- **Control parameters**
 - **Components with limit values that require monitoring at the workplace:**
The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
 - **Additional information:**
Harmful if absorbed through skin. Harmful if swallowed. Causes moderate eye irritation. Avoid contact with skin, eyes or clothing. Wear long-sleeved shirt, long pants, socks, shoes and gloves. Wear protective eyewear
- **Exposure controls**
 - **Personal protective equipment:**
 - **General protective and hygienic measures:**
Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco. Remove and wash contaminated clothing before reuse.
 - **Breathing equipment:** Not required.
 - **Protection of hands:**



Protective gloves

- **Material of gloves** Chemical-resistant made of any waterproof material
- **Body protection:**
Protective work clothing
Applicators and other handlers must wear:
 - Long-sleeved shirts and long pants
 - Chemical-resistant gloves made of any waterproof material such as polyethylene or polyvinyl
 - Shoes plus socks

9 Physical and chemical properties

- **Information on basic physical and chemical properties**
 - **General Information**
 - **Appearance:**
 - **Form:** Liquid
 - **Color:** Pale yellow to red
 - **Odor:** Amine-like
 - **Odor threshold:** Not determined.

(Contd. on page 5)

Safety Data Sheet

acc. to OSHA HCS

Printing date 12/11/2018

Reviewed on 12/11/2018

Trade name: SCORPION® 35SL Insecticide
EPA Registration No.: 10163-317

(Contd. of page 4)

· pH-value at 20 °C (68 °F):	5.2
· Change in condition	
· Melting point/Melting range:	Undetermined.
· Boiling point/Boiling range:	208 °C (406.4 °F)
· Flash point:	Not applicable.
· Flammability (solid, gaseous):	Not applicable.
· Decomposition temperature:	Not determined.
· Auto igniting:	Product is not self-igniting.
· Danger of explosion:	Product does not present an explosion hazard.
· Explosion limits:	
· Lower:	Not determined.
· Upper:	Not determined.
· Vapor pressure:	Not determined.
· Density at 20 °C (68 °F):	1.114 g/cm ³ (9.29633 lbs/gal)
· Relative density	Not determined.
· Vapor density	Not determined.
· Evaporation rate	Not determined.
· Solubility in / Miscibility with	
· Water:	Fully miscible.
· Partition coefficient (n-octanol/water):	Not determined.
· Viscosity:	
· Dynamic:	Not determined.
· Kinematic:	Not determined.
· Other information	No further relevant information available.

10 Stability and reactivity

- **Reactivity** No further relevant information available.
- **Chemical stability** Stable under normal conditions
 - **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid** Heat and sources of ignition.
- **Incompatible materials:** Strong oxidizers
- **Hazardous decomposition products:** No dangerous decomposition products known to be formed.

11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity:**

· LD/LC50 values that are relevant for classification:		
Oral	LD50	>2000 mg/kg (rat)
Dermal	LD50	>2000 mg/kg (rat)
Inhalative	LC50/4 h	2.02 mg/l (rat)

(Contd. on page 6)

US

Safety Data Sheet

acc. to OSHA HCS

Printing date 12/11/2018

Reviewed on 12/11/2018

Trade name: SCORPION® 35SL Insecticide
EPA Registration No.: 10163-317

(Contd. of page 5)

- **Primary irritant effect:**
 - **on the skin:** No irritant effect.
 - **on the eye:** Slight irritation
- **Sensitization:** No sensitizing effects known.
- **Additional toxicological information:**
 - **Carcinogenic categories**

· IARC (International Agency for Research on Cancer)

None of the ingredients are listed.

· NTP (National Toxicology Program)
--

None of the ingredients are listed.

· OSHA-Ca (Occupational Safety & Health Administration)
--

None of the ingredients are listed.

* 12 Ecological information

- **Toxicity**

This pesticide is toxic to aquatic invertebrates. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not apply when weather conditions favor drift from treated areas. Drift and runoff from treated areas may be hazardous to aquatic organisms in water adjacent to treated areas. Do not dispose of equipment washwaters or rinsate into a natural drain or water body. Do not contaminate water when disposing of equipment washwaters or rinsate.

This compound is highly toxic to honey bees. The persistence of residues and potential residual toxicity of Dinotefuran in nectar and pollen suggests the possibility of chronic toxic risk to honey bee larvae and the eventual instability of the hive.

This product is toxic to bees exposed to residue for more than 38 hours following treatment. Do not apply this product to blooming, pollen-shedding or nectar-producing parts of plants if bees may forage on the plants during this time period, unless the application is made in response to a public health emergency declared by appropriate state or federal authorities.

Dinotefuran and its degradate, MNG have the properties and characteristics associated with chemicals detected in groundwater. The high water solubility of Dinotefuran, and its degradate, MNG, coupled with their very high mobility, and resistance to biodegradation indicates that these compounds have a strong potential to leach to the subsurface under certain conditions as a result of label use. The use of this product in areas where soils are permeable, particularly where the water table is shallow, may result in ground water contamination.

- **Aquatic toxicity:** No further relevant information available.
- **Persistence and degradability** No further relevant information available.
- **Other information:**
 - LC50 (96 hr) Bluegill Sunfish: greater than 100 mg/l;
 - LC50 (96 hr) Rainbow Trout: greater than 100 mg/l;
 - LC50 (96 hr) Common Carp: greater than 100 mg/l
 - LC50 (96 hr) Sheepshead Minnow: greater than 109 mg/l
 - NOEC (early life stage) Rainbow Trout: greater than 10 mg/l;
 - EC50 (48 hr) Daphnia magna: greater than 1000 mg/l;
 - NOEC (lifecycle) Daphnia magna: greater than 10 mg/l;
 - LC50 (96 hr) Mysid Shrimp: 0.79 mg/l;
 - EC50 (96 hr) Oyster Shell Deposition: greater than 141 mg/l.
- **Behavior in environmental systems:**
 - **Bioaccumulative potential** No further relevant information available.

(Contd. on page 7)

Safety Data Sheet

acc. to OSHA HCS

Printing date 12/11/2018

Reviewed on 12/11/2018

Trade name: SCORPION® 35SL Insecticide
EPA Registration No.: 10163-317

(Contd. of page 6)

- **Mobility in soil** No further relevant information available.
- **Results of PBT and vPvB assessment**
 - **PBT:** Not applicable.
 - **vPvB:** Not applicable.
- **Other adverse effects** No further relevant information available.

13 Disposal considerations

- **Waste treatment methods**
 - **Recommendation:**
Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.
- **Uncleaned packagings:**
 - **Recommendation:**
Nonrefillable container. Do not reuse or refill this container. Offer for recycling, if available. Triple rinse container (or equivalent) promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container ¼ full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times. After cleaning, if recycling is not available, puncture and dispose of in a sanitary landfill or by incineration or if allowed by State and local authorities by burning. If burned, stay out of smoke.
 - **Recommended cleansing agent:** Water, if necessary with cleansing agents.

14 Transport information

- | | |
|--|--|
| <ul style="list-style-type: none"> · UN-Number · DOT, ADR, ADN, IMDG, IATA | Not regulated |
| <ul style="list-style-type: none"> · UN proper shipping name · ADR, ADN, IATA · IMDG | Not regulated
Not Regulated |
| <ul style="list-style-type: none"> · Transport hazard class(es) · ADR · Class · ADN/R Class: | Not regulated
Not regulated |
| <ul style="list-style-type: none"> · Packing group · ADR, IMDG, IATA | Not regulated |
| <ul style="list-style-type: none"> · Environmental hazards: · Marine pollutant: | Product contains environmentally hazardous substances: 1,2-benzisothiazolin-3-one, Dinotefuran
No |
| <ul style="list-style-type: none"> · Special precautions for user | Not applicable |
| <ul style="list-style-type: none"> · Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code | Not applicable |
| <ul style="list-style-type: none"> · UN "Model Regulation": | Not regulated |

US
(Contd. on page 8)

Safety Data Sheet

acc. to OSHA HCS

Printing date 12/11/2018

Reviewed on 12/11/2018

Trade name: SCORPION® 35SL Insecticide
EPA Registration No.: 10163-317

(Contd. of page 7)

15 Regulatory information

· **Safety, health and environmental regulations/legislation specific for the substance or mixture**

EPA /FIFRA Information:

This chemical is a pesticide product registered by the Environmental Protection Agency (EPA) and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals.

· **SARA Title III**

· **Section 355 (extremely hazardous substances):**

None of the ingredients are listed.

· **Section 313 (Specific toxic chemical listings):**

None of the ingredients are listed.

· **TSCA (Toxic Substances Control Act):**

None of the ingredients are listed.

· **Proposition 65**

· **Chemicals known to cause cancer:**

None of the ingredients are listed.

· **Chemicals known to cause reproductive toxicity for females:**

None of the ingredients are listed.

· **Chemicals known to cause reproductive toxicity for males:**

None of the ingredients are listed.

· **Chemicals known to cause developmental toxicity:**

None of the ingredients are listed.

· **Carcinogenicity categories**

· **EPA (Environmental Protection Agency)**

None of the ingredients are listed.

· **TLV (Threshold Limit Value established by ACGIH)**

None of the ingredients are listed.

· **NIOSH-Ca (National Institute for Occupational Safety and Health)**

None of the ingredients are listed.

· **GHS label elements**

The product is classified and labeled according to the Globally Harmonized System (GHS).

· **Hazard pictograms**

Not applicable

· **Signal word**

(US EPA) CAUTION

· **Hazard statements**

Harmful if absorbed through skin. Harmful if swallowed. Causes moderate eye irritation. Avoid contact with skin, eyes or clothing. Wear long-sleeved shirt, long pants, socks, shoes and gloves. Wear protective eyewear.

(Contd. on page 9)

Safety Data Sheet

acc. to OSHA HCS

Printing date 12/11/2018

Reviewed on 12/11/2018

Trade name: SCORPION® 35SL Insecticide
EPA Registration No.: 10163-317

(Contd. of page 8)

- H302 Harmful if swallowed.*
H401 Toxic to aquatic life.
 · **Precautionary statements** HAZARDOUS TO HUMANS AND DOMESTIC ANIMALS
 · **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- **Department issuing SDS:** Supply Chain
- **Contact:** sds@gowanco.com
 - **Date of preparation / last revision** 12/11/2018 / 3
 - **Abbreviations and acronyms:**
 - ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
 - IMDG: International Maritime Code for Dangerous Goods
 - DOT: US Department of Transportation
 - IATA: International Air Transport Association
 - ACGIH: American Conference of Governmental Industrial Hygienists
 - EINECS: European Inventory of Existing Commercial Chemical Substances
 - ELINCS: European List of Notified Chemical Substances
 - CAS: Chemical Abstracts Service (division of the American Chemical Society)
 - NFPA: National Fire Protection Association (USA)
 - LC50: Lethal concentration, 50 percent
 - LD50: Lethal dose, 50 percent
 - PBT: Persistent, Bioaccumulative and Toxic
 - vPvB: very Persistent and very Bioaccumulative
 - NIOSH: National Institute for Occupational Safety
 - OSHA: Occupational Safety & Health
 - TLV: Threshold Limit Value
 - PEL: Permissible Exposure Limit
 - REL: Recommended Exposure Limit
 - Acute Tox. 4: Acute toxicity – Category 4
 - Skin Irrit. 2: Skin corrosion/irritation – Category 2
 - Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A
 - STOT SE 3: Specific target organ toxicity (single exposure) – Category 3
 - Aquatic Acute 2: Hazardous to the aquatic environment - acute aquatic hazard – Category 2
 - Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2
- **Sources** SCORPION® 35SL INSECTICIDE is a registered trademark of Gowan Company L.L.C.
- *** Data compared to the previous version altered.**

US