

## 1 Identification

### · Product identifier

· Trade name: **MAGISTER® SC miticide**

· Article number: US54541

· CAS Number:

EPA Registration No.: 10163-322

Active Ingredient: Fenazaquin (18.79%), CAS:120928-09-8

· Application of the substance / the mixture Agricultural miticide

### · Details of the supplier of the safety data sheet

· Manufacturer/Supplier:

Gowan Company, LLC.

P.O. Box 5569

Yuma, Arizona 85366-5569

(928) 783-8844

· Information department: [sds@gowanco.com](mailto:sds@gowanco.com)

· Emergency telephone number:

Chemtrec® Emergency Telephone 24 - Hours: (Spills, leak or fire) Inside U.S. & Canada: (800) 424-9300

Outside the U.S. & Canada: +011 (703) 527-3887

For medical emergency (ProPharma Group®): (888) 478-0798

## 2 Hazard(s) identification

### · Classification of the substance or mixture



Acute Toxicity - Inhalation 4 H332 Harmful if inhaled.

Aquatic Acute 2 H401 Toxic to aquatic life.

### · Label elements

· GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms



· Signal word Warning

· Hazard-determining components of labeling:

Fenazaquin (ISO) / 4-[2-[4-(1,1-diméthyléthyl)phényl]-éthoxy]quinazoline

· Hazard statements

H332 Harmful if inhaled.

H401 Toxic to aquatic life.

· Precautionary statements

P261 Avoid breathing dust/fume/gas/mist/vapors/spray

P271 Use only outdoors or in a well-ventilated area.

P273 Avoid release to the environment.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

(Contd. on page 2)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 10/04/2022

Reviewed on 10/04/2022

Trade name: **MAGISTER® SC miticide**

(Contd. of page 1)

P312 Call a poison center/doctor if you feel unwell.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

- **Hazard description:**

May be fatal if swallowed. Harmful if inhaled. Causes moderate eye irritation. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco. Avoid breathing dust. Remove and wash contaminated clothing before reuse. Avoid contact with eyes, skin or clothing.

- **Classification system:**

- **NFPA ratings (scale 0 - 4)**



- **HAZARD INDEX:**

- 4 Severe Hazard
- 3 Serious Hazard
- 2 Moderate Hazard
- 1 Slight Hazard
- 0 Minimal Hazard

- **Other hazards**

- **Results of PBT and vPvB assessment**

- **PBT:** Not applicable in US.
- **vPvB:** Not applicable in US.

### 3 Composition/information on ingredients

- **Chemical characterization: Mixtures**

- **Description:** Mixture of the substances listed below with nonhazardous additions.

- **Dangerous components:**

CAS: 120928-09-8	Fenazaquin (ISO) / 4-[2-[4-(1,1-diméthyléthyl)phényl]-éthoxy]quinazoline	18.79%
	<ul style="list-style-type: none"> <li>⚠ Acute Toxicity - Oral 3, H301; ⚠ Aquatic Acute 1, H400; Aquatic Chronic 1, H410; ⚠ Acute Toxicity - Inhalation 4, H332</li> </ul>	

### 4 First-aid measures

- **Description of first aid measures**

- **General information:**

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

You may also contact 1-888-478-0798 for emergency medical treatment information.

- **After inhalation:**

- Move person to fresh air.
- If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible.
- Call poison control center or doctor for further treatment advice.

- **After skin contact:**

- Take off contaminated clothing.
- Rinse skin immediately with plenty of water for 15-20 minutes.
- Call a poison control center or doctor for treatment advice.

(Contd. on page 3)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 10/04/2022

Reviewed on 10/04/2022

Trade name: **MAGISTER® SC miticide**

(Contd. of page 2)

- **After eye contact:**
  - Hold eye open and rinse slowly and gently with water for 15-20 minutes.
  - Remove contact lenses, if present, after first 5 minutes, then continue rinsing eyes.
  - Call a poison control center or doctor for treatment advice.
- **After swallowing:**
  - Call a poison control center or doctor immediately for treatment advice.
  - Have person sip a glass of water if able to swallow.
  - Do not induce vomiting unless told to do so by a poison control center or doctor.
  - Do not give anything by mouth to an unconscious person.
- **Information for doctor:**
  - **Most important symptoms and effects, both acute and delayed** Unknown
  - **Indication of any immediate medical attention and special treatment needed**  
If ingested, the product may cause irritation of the GI tract, vomiting and diarrhea. Treatment should be symptomatic and supportive. No antidote is recommended.

## 5 Fire-fighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:**  
CO<sub>2</sub>, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- **Special hazards arising from the substance or mixture**  
Formation of toxic gases is possible during heating or in case of fire.
- **Advice for firefighters**
  - **Protective equipment:** Wear self-contained respiratory protective device.

## 6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures** Not required.
- **Environmental precautions:**  
This pesticide is toxic to fish and aquatic invertebrates. Do not apply directly to water, to areas where surface water is present, or to intertidal areas below the mean high-water mark.
- **Methods and material for containment and cleaning up:**  
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).  
Dispose contaminated material as waste according to item 13.  
Ensure adequate ventilation.
- **Reference to other sections**  
See Section 7 for information on safe handling.  
See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.
- **Protective Action Criteria for Chemicals**

· <b>PAC-1:</b>
None of the ingredients are listed.
· <b>PAC-2:</b>
None of the ingredients are listed.
· <b>PAC-3:</b>
None of the ingredients are listed.

US

(Contd. on page 4)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 10/04/2022

Reviewed on 10/04/2022

Trade name: **MAGISTER® SC miticide**

(Contd. of page 3)

## 7 Handling and storage

- **Handling:**
  - **Precautions for safe handling** Ensure good ventilation/exhaustion at the workplace.
  - **Information about protection against explosions and fires:** Keep ignition sources away - Do not smoke.
- **Conditions for safe storage, including any incompatibilities**
  - **Storage:**
    - **Requirements to be met by storerooms and receptacles:**  
Store in a cool, dry place away from heat or open flame.
    - **Information about storage in one common storage facility:** Store away from foodstuffs.
    - **Further information about storage conditions:** Keep receptacle tightly sealed.
- **Specific end use(s)** No further relevant information available.

## 8 Exposure controls/personal protection

- **Additional information about design of technical systems:** No further data; see item 7.
- **Control parameters**
  - **Components with limit values that require monitoring at the workplace:**  
The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
    - **Additional information:** The lists that were valid during the creation were used as basis.
- **Exposure controls**
  - **Personal protective equipment:**
    - **General protective and hygienic measures:**  
Wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet. Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.
    - **Breathing equipment:**  
In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.
    - **Protection of hands:**



Protective gloves

- **Material of gloves** Chemical-resistant gloves.
- **Eye protection:** Goggles recommended during refilling.
- **Body protection:**
  - Long-sleeved shirt and long pants (Coveralls for mixing/loading and applying with high-pressure handwand)
  - Chemical-resistant gloves
  - Shoes plus socks

US

(Contd. on page 5)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 10/04/2022

Reviewed on 10/04/2022

Trade name: **MAGISTER® SC miticide**

(Contd. of page 4)

## 9 Physical and chemical properties

### · Information on basic physical and chemical properties

#### · General Information

##### · Appearance:

- **Form:** Liquid
- **Color:** Pale brown
- **Odor:** Non-distinctive
- **Odor threshold:** Not determined.

· **pH-value at 20 °C (68 °F):** 7.8

#### · Change in condition

- **Melting point/Melting range:** Undetermined.
- **Boiling point/Boiling range:** Undetermined.

· **Flash point:** Not applicable.

· **Flammability (solid, gaseous):** Not applicable.

· **Decomposition temperature:** Not determined.

· **Auto igniting:** Product is not self-igniting.

· **Danger of explosion:** Product does not present an explosion hazard.

#### · Explosion limits:

- **Lower:** Not determined.
- **Upper:** Not determined.

· **Vapor pressure:** Not determined.

· **Density at 20 °C (68 °F):** 1.094 g/cm<sup>3</sup> (9.12943 lbs/gal)

- **Relative density** Not determined.
- **Vapor density** Not determined.
- **Evaporation rate** Not determined.

#### · Solubility in / Miscibility with

· **Water:** Dispersible.

· **Partition coefficient (n-octanol/water):** Not determined.

#### · Viscosity:

- **Dynamic:** Not determined.
- **Kinematic:** Not determined.

· **Other information** No further relevant information available.

## 10 Stability and reactivity

· **Reactivity** No further relevant information available.

· **Chemical stability** Stable under normal conditions

· **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.

· **Possibility of hazardous reactions** No dangerous reactions known.

· **Conditions to avoid** Excessive heat.

· **Incompatible materials:** Strong oxidizers, acids and strong bases.

· **Hazardous decomposition products:** No dangerous decomposition products known.

US

(Contd. on page 6)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 10/04/2022

Reviewed on 10/04/2022

Trade name: **MAGISTER® SC miticide**

(Contd. of page 5)

## 11 Toxicological information

- **Information on toxicological effects**

- **Acute toxicity:**

- **LD/LC50 values that are relevant for classification:**

Oral	LD50	434 mg/kg (rat)
Dermal	LD50	>5,000 mg/kg (rat)
Inhalative	LC50/4 h	1.46 mg/l (rat)

- **Primary irritant effect:**

- **on the skin:** Moderately Irritating

- **on the eye:** Mild irritation

- **Sensitization:** No sensitizing effects known.

- **Additional toxicological information:** Harmful

- **Carcinogenic categories**

- **IARC (International Agency for Research on Cancer)**

None of the ingredients are listed.

- **NTP (National Toxicology Program)**

None of the ingredients are listed.

- **OSHA-Ca (Occupational Safety & Health Administration)**

None of the ingredients are listed.

## 12 Ecological information

- **Toxicity**

*This pesticide is toxic to fish and aquatic invertebrates. Do not apply directly to water, to areas where surface water is present, or to intertidal areas below the mean high-water mark. Do not contaminate water when disposing of equipment washwaters or rinsate. Drift and runoff may be hazardous to aquatic organisms in water adjacent to treated areas. A level, well-maintained vegetative buffer strip between areas to which this product is applied and surface water features such as ponds, streams, and springs will reduce the potential loading of fenazaquin from runoff water and sediment.*

*This product is highly toxic to bees exposed to direct application on blooming crops, weeds, and ornamental plants. Do not apply this product or allow it to drift to blooming crops, weeds or ornamentals while bees are foraging in / or adjacent to the treatment area.*

- **Aquatic toxicity:** No further relevant information available.

- **Persistence and degradability** No further relevant information available.

- **Behavior in environmental systems:**

- **Bioaccumulative potential** No further relevant information available.

- **Mobility in soil** No further relevant information available.

- **Additional ecological information:**

- **General notes:**

- Do not allow product to reach ground water, water course or sewage system, even in small quantities.

- Danger to drinking water if even extremely small quantities leak into the ground.

- **Results of PBT and vPvB assessment**

- **PBT:** Not applicable.

- **vPvB:** Not applicable.

- **Other adverse effects** No further relevant information available.

US

(Contd. on page 7)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 10/04/2022

Reviewed on 10/04/2022

Trade name: **MAGISTER® SC miticide**

(Contd. of page 6)

## 13 Disposal considerations

- **Waste treatment methods**

- **Recommendation:**

Pesticide wastes are acutely hazardous. Wastes resulting from this product may be disposed of on site or at an approved waste disposal facility. Improper disposal of excess pesticide, spray mix, or rinsate is a violation of federal law.

If these wastes cannot be disposed of according to label instructions, contact the state agency responsible for pesticide regulation or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

- **Uncleaned packagings:**

- **Recommendation:**

Nonrefillable container. Do not reuse or refill this container. Offer for recycling if available. Clean container promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container ¼ full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times.

## 14 Transport information

- **UN-Number**

- **DOT, ADR, IMDG, IATA**

UN2902

- **UN proper shipping name**

- **DOT**

Pesticides, liquid, toxic, n.o.s. (Fenazaquin (ISO) / 4-[2-[4-(1,1-diméthyléthyl)phényl]-éthoxy]quinazoline)

- **ADR**

2902 PESTICIDE, LIQUID, TOXIC, N.O.S. (Fenazaquin (ISO) / 4-[2-[4-(1,1-diméthyléthyl)phényl]-éthoxy]quinazoline), ENVIRONMENTALLY HAZARDOUS

- **IMDG**

PESTICIDE, LIQUID, TOXIC, N.O.S. (Fenazaquin (ISO) / 4-[2-[4-(1,1-diméthyléthyl)phényl]-éthoxy]quinazoline), MARINE POLLUTANT

- **IATA**

PESTICIDE, LIQUID, TOXIC, N.O.S. (Fenazaquin (ISO) / 4-[2-[4-(1,1-diméthyléthyl)phényl]-éthoxy]quinazoline)

- **Transport hazard class(es)**

- **DOT**



- **Class**

6

- **Label**

6.1

- **ADR, IMDG**



- **Class**

6

(Contd. on page 8)

US



# Safety Data Sheet


acc. to OSHA HCS

Printing date 10/04/2022

Reviewed on 10/04/2022

Trade name: **MAGISTER® SC miticide**

(Contd. of page 7)

· <b>Label</b>	6.1
· <b>IATA</b>	
	
· <b>Class</b>	6
· <b>Label</b>	6.1
· <b>Packing group</b>	
· <b>ADR, IMDG, IATA</b>	III
· <b>Environmental hazards:</b>	Product contains environmentally hazardous substances: Fenazaquin (ISO) / 4-[2-[4-(1,1-diméthyléthyl)phényl]-éthoxy]quinazoline
· <b>Marine pollutant:</b>	Yes Symbol (fish and tree)
· <b>Special marking (ADR):</b>	Symbol (fish and tree)
· <b>Special precautions for user</b>	Not applicable
· <b>Hazard identification number (Kemler code):</b>	90
· <b>EMS Number:</b>	F-A,S-A
· <b>Stowage Category</b>	A
· <b>Stowage Code</b>	SW2 Clear of living quarters.
· <b>Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code</b>	Not applicable
· <b>Transport/Additional information:</b>	
· <b>ADR</b>	
· <b>Excepted quantities (EQ)</b>	Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
· <b>IMDG</b>	
· <b>Limited quantities (LQ)</b>	5L
· <b>Excepted quantities (EQ)</b>	Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
· <b>UN "Model Regulation":</b>	UN 2902 PESTICIDE, LIQUID, TOXIC, N.O.S. (FENAZAQUIN (ISO) / 4-[2-[4-(1,1-DIMÉTHYLÉTHYL)PHÉNYL]-ÉTHOXY] QUINAZOLINE), 6.1, III, ENVIRONMENTALLY HAZARDOUS

## 15 Regulatory information

### · Safety, health and environmental regulations/legislation specific for the substance or mixture

EPA /FIFRA Information:

This chemical is a pesticide product registered by the Environmental Protection Agency (EPA) and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals.

(Contd. on page 9)

US



# Safety Data Sheet

acc. to OSHA HCS

Printing date 10/04/2022

Reviewed on 10/04/2022

**Trade name: MAGISTER® SC miticide**

(Contd. of page 8)

· **Marketing authorization number:**

· **SARA Title III**

· **Section 355 (extremely hazardous substances):**

None of the ingredients are listed.

· **Section 313 (Specific toxic chemical listings):**

None of the ingredients are listed.

· **TSCA (Toxic Substances Control Act):**

None of the ingredients are listed.

· **Hazardous Air Pollutants**

None of the ingredients are listed.

· **Proposition 65**

· **Chemicals known to cause cancer:**

None of the ingredients are listed.

· **Chemicals known to cause reproductive toxicity for females:**

None of the ingredients are listed.

· **Chemicals known to cause reproductive toxicity for males:**

None of the ingredients are listed.

· **Chemicals known to cause developmental toxicity:**

None of the ingredients are listed.

· **Carcinogenicity categories**

· **EPA (Environmental Protection Agency)**

None of the ingredients are listed.

· **TLV (Threshold Limit Value)**

None of the ingredients are listed.

· **NIOSH-Ca (National Institute for Occupational Safety and Health)**

None of the ingredients are listed.

· **GHS label elements**

The product is classified and labeled according to the Globally Harmonized System (GHS).

· **Hazard pictograms**

Not applicable

· **Signal word**

(USA EPA) WARNING

· **Hazard-determining components of labeling:**

Fenazaquin (ISO) / 4-[2-[4-(1,1-diméthyléthyl)phényl]-éthoxy]quinazoline

· **Hazard statements**

May be fatal if swallowed.

Harmful if inhaled

Causes moderate eye irritation.

Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco.

(Contd. on page 10)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 10/04/2022

Reviewed on 10/04/2022

**Trade name: MAGISTER® SC miticide**

(Contd. of page 9)

*Avoid breathing dust.*

*Remove contaminated clothing and wash before reuse.*

*Avoid contact with skin, eyes, or clothing.*

*H332 Harmful if inhaled.*

*H401 Toxic to aquatic life.*

**· Precautionary statements**

*P261 Avoid breathing dust/fume/gas/mist/vapors/spray*

*P271 Use only outdoors or in a well-ventilated area.*

*P273 Avoid release to the environment.*

*P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.*

*P312 Call a poison center/doctor if you feel unwell.*

*P501 Dispose of contents/container in accordance with local/regional/national/international regulations.*

**· Chemical safety assessment:** *A Chemical Safety Assessment has not been carried out.*

## 16 Other information

*This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.*

**· Department issuing SDS:** *Systems Design and Control*

**· Contact:** *sds@gowanco.com*

**· Date of preparation / last revision** *10/04/2022*

**· Abbreviations and acronyms:**

*ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)*

*IMDG: International Maritime Code for Dangerous Goods*

*DOT: US Department of Transportation*

*IATA: International Air Transport Association*

*EINECS: European Inventory of Existing Commercial Chemical Substances*

*ELINCS: European List of Notified Chemical Substances*

*CAS: Chemical Abstracts Service (division of the American Chemical Society)*

*NFPA: National Fire Protection Association (USA)*

*LC50: Lethal concentration, 50 percent*

*LD50: Lethal dose, 50 percent*

*PBT: Persistent, Bioaccumulative and Toxic*

*vPvB: very Persistent and very Bioaccumulative*

*NIOSH: National Institute for Occupational Safety*

*OSHA: Occupational Safety & Health*

*TLV: Threshold Limit Value*

*PEL: Permissible Exposure Limit*

*REL: Recommended Exposure Limit*

*Acute Toxicity - Oral 3: Acute toxicity – Category 3*

*Acute Toxicity - Inhalation 4: Acute toxicity – Category 4*

*Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1*

*Aquatic Acute 2: Hazardous to the aquatic environment - acute aquatic hazard – Category 2*

*Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1*

**· Sources** *Magister® is a registered trademark used under license by Gowan Company, L.L.C.*