

# SUPPLEMENTAL LABELING

This supplemental label expires June 30, 2026 and must not be used or distributed after this date.



EPA Reg. No. 8033-103-10163

## DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Follow all applicable directions, restrictions and precautions on the federally-registered label.

This label must be in the possession of the user at the time of pesticide application. Read the label affixed to the container for Torino Fungicide before applying. Use of Torino Fungicide according to this labeling is subject to the use precautions and limitations imposed by the label affixed to the container of Torino Fungicide.

## APPLICATION DIRECTIONS

### SUGAR BEET

SITE	DISEASE	TORINO FUNGICIDE (oz/acre) [lb. ai/acre]	DIRECTIONS FOR USE
Sugar Beet	Powdery mildew	5.0-7.5 [0.033-0.050]	Begin application at first sign of disease development.  For the control of other diseases of sugar beets, applications of registered fungicides must be made according to their label directions for use.
<p><b>RESTRICTIONS:</b></p> <ul style="list-style-type: none"> <li>• <b>DO NOT</b> make more than two (2) applications per year.</li> <li>• For resistance management, <b>DO NOT</b> make two (2) consecutive applications of Torino Fungicide.</li> <li>• The minimum retreatment interval is ten (10) days.</li> <li>• The maximum use rate is 7.5 oz. of Torino Fungicide (0.050 lb. ai) per acre.</li> <li>• <b>DO NOT</b> exceed a total of 15.0 oz. of Torino Fungicide (0.10 lb. ai) per acre per calendar year.</li> <li>• <b>DO NOT</b> apply within 14 days of harvest; (PHI = 14 days).</li> </ul>			



Produced for:  
Gowan Company, LLC  
P.O. Box 5569  
Yuma, AZ. 85366-5569