

Supplemental Labeling

Lorsban^{*} 75WG EPA Reg. No. 62719-301-10163

24c Special Local Need Registration (EPA SLN FL-040005)
For Distribution and use only within Florida

To Control Beet Armyworm Infesting Peppers

ACTIVE INGREDIENT:

Chlorpyrifos: *O,O-diethyl O-(3,5,6-trichloro-2 pyridinyl) phosphorothioate*..... 75.0%

OTHER INGREDIENTS..... 25.0%

TOTAL 100.0%

ATTENTION

- This labeling must be in the possession of the user at the time of application.
- Read the label affixed to the container for Lorsban 75WG* insecticide before applying. Carefully follow all precautionary statements and applicable use directions.
- It is a violation of Federal law to use this labeling in a manner inconsistent with its labeling. Persons using this product must comply with all applicable directions, restrictions and precautions found on this labeling and that of the label of the federally registered product upon which this amendment is based.

DIRECTIONS FOR USE

Use and Dosage Recommendations

Apply 1 1/3 lb of Lorsban 75WG (1 1.33-lb packet) in 50 to 150 gallons of water per acre as a broadcast foliar spray using power-operated ground application equipment. Apply when field counts indicate damaging populations are developing or present. To avoid possible phytotoxicity, tank mixes must be tested on a small area prior to use on the remaining acres..

Specific Use Restrictions

- **Preharvest Interval:** Do not apply within 7 days of harvest.
- Do not make more than 8 applications of products containing chlorpyrifos per crop.
- Maximum single application rate is 1.33 lb of Lorsban 75WG (1 lb ai chlorpyrifos) per acre.
- **Minimum Re-treatment interval:** Do not make a second application of Lorsban 75WG or other product containing chlorpyrifos within 10 days of the first application.
- **Chemigation:** Do not apply Lorsban 75WG through any type of irrigation system.
- Do not enter or allow worker entry into treated areas during the restricted entry interval (REI) of 24 hours unless PPE required for early entry is worn.
- Do not apply Lorsban 75WG within 10 days of transplanting or to plants that are under extreme heat or drought stress.

24(c) Registrant:

Dow AgroSciences LLC
9330 Zionsville Road
Indianapolis, IN 46268

Distributed by:

Gowan Company
P.O. Box 5569
Yuma, AZ 85366-5569

*Trademark of Dow AgroSciences LLC

R 187-001
Approved: 08/06/04
Initial printing