

SUPPLEMENTAL LABELING

This supplemental label expires on September 1, 2023, and must not be used or distributed after this date.

Sonalan[®] HFP

ACTIVE INGREDIENT:	% BY WT.
Ethalfuralin: <i>N</i> -ethyl- <i>N</i> -(2-methyl-2-propenyl)-2, 6-dinitro-4-(trifluoromethyl)benzenamine.....	35.4%
OTHER INGREDIENTS:	64.6%
	TOTAL 100.0%

Contains 3 lb active ingredient per gallon.

KEEP OUT OF REACH OF CHILDREN DANGER / PELIGRO

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle.
(If you do not understand the label, find someone to explain it to you in detail.)

DIRECTIONS FOR USE

- It is a violation of Federal law to use this product in a manner inconsistent with its labeling.
- All applicable directions, restrictions, and precautions on the EPA registered label are to be followed.
- This labeling must be in the possession of the user at the time of pesticide application.
- Read the label affixed to the container for Sonalan HFP before applying.
- Use of Sonalan HFP according to this labeling is subject to the use precautions and limitations imposed by the label affixed to the container for Sonalan HFP.

POTATOES

Broadcast apply and incorporate Sonalan HFP after planting but prior to crop emergence.

Broadcast Application Rates

Soil Texture	Sonalan HFP (pt/acre)
coarse	1 1/3 - 2
medium	2 - 2 2/3
fine	2 2/3

Nightshade and Ground Cherry = suppression only at labeled rates

Mechanical Incorporation

Mechanically incorporate Sonalan HFP if recommended rainfall or irrigation does not occur within 2 days after application. Mix thoroughly into the top 2 to 3 inches of soil. Do not expose untreated soil during the incorporation process. Set incorporation equipment so that the bed and furrow will be uniformly covered with a layer of treated soil. Adjust equipment to avoid disturbance of seed pieces and/or unemerged shoots.

Incorporation by Rainfall or Irrigation in Coarse or Medium Textured Soils

Apply immediately after planting if incorporation by rainfall or using sprinkler irrigation is intended. Rainfall or sprinkler irrigation prior to application tends to consolidate and seal the soil surface. Movement of Sonalan HFP into the zone of weed germination is more effective if application occurs immediately after tillage and planting. If continuous rainfall or irrigation of 1/2 to 1 inch occurs within 2 days after application of Sonalan HFP, no further incorporation is required. Do not incorporate using furrow irrigation.

Chemigation

Sonalan HFP may be applied through sprinkler irrigation equipment using the maximum recommended rate for the soil texture class of the treatment site. Refer to the Chemigation Application section in General Information in the main product label for Sonalan HFP for specific use directions for chemigation.

Cultivation

Sonalan HFP may be shallowly cultivated without reducing weed control activity. Avoid exposure of untreated soil.

Restrictions:

- Do not apply after crop emergence or exceed 2 2/3 pints (1lb AI) per acre per season.

