

Group **U6** Fungicide

Supplemental Label



This supplemental label expires on April 30, 2020 and must not be used or distributed after this date.

EPA Reg. No. 8033-103-10163

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Follow all applicable directions, restrictions and precautions on the federally-registered label.

This label must be in the possession of the user at the time of pesticide application. Read the label affixed to the container for Torino Fungicide before applying. Use of Torino Fungicide according to this labeling is subject to the use precautions and limitations imposed by the label affixed to the container of Torino Fungicide.

CHERRIES (within Crop Group 12-12A)

SITE	DISEASE	TORINO FUNGICIDE OZ/ACRE [POUNDS ACTIVE]	USE DIRECTIONS	RESTRICTIONS
CHERRIES Capulin, black, Nanking, sweet, tart, cultivars, varieties, and/or hybrids of these.	Powdery mildew	6.0 - 8.0 [0.040 - 0.053]	Begin application at first sign of disease development	Do not make more than two (2) applications per year. Do not apply more than once every seven (7) days. Do not exceed a total of 0.106 lbs. active ingredient (16.0 oz. of product) per acre per calendar year. Do not apply within six (6) days of harvest; (PHI = 6 days)

Supplemental label (2/8/2018)