

Reviewed on 10/06/2022

1 Identification

· Product identifier

· Trade name: SCORPION® 35SL Insecticide

· Article number: US49745

· CAS Number:

EPA Registration No.: 10163-317

Active Ingredient: Dinotefuran (35%), CAS:165252-70-0

· Application of the substance / the mixture Agricultural Insecticide

Details of the supplier of the safety data sheet

· Manufacturer/Supplier:

Gowan Company, LLC.

P.O. Box 5569

Yuma, Arizona 85366-5569

(928) 783-8844

- · Information department: sds@gowanco.com
- Emergency telephone number:

Chemtrec® Emergency Telephone 24 - Hours: (Spills, leak or fire) Inside U.S. & Canada: (800) 424-9300

Outside the U.S. & Canada: +011 (703) 527-3887

For medical emergency (ProPharma Group®): (888) 478-0798

2 Hazard(s) identification

· Classification of the substance or mixture



GHS07

Acute Toxicity - Oral 4 H302 Harmful if swallowed.

Aquatic Acute 2 *H401 Toxic to aquatic life.*

- · Label elements
 - · GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms



- · Signal word Warning
- · Hazard statements

H302 Harmful if swallowed.

H401 Toxic to aquatic life.

· Hazard description:

Harmful if absorbed through skin. Harmful if swallowed. Causes moderate eye irritation. Avoid contact with skin, eyes or clothing. Wear long-sleeved shirt, long pants, socks, shoes and gloves. Wear protective eyewear.

- · Classification system:
 - · NFPA ratings (scale 0 4)



Health = 1Fire = 1Reactivity = 0

Printing date 10/06/2022 Reviewed on 10/06/2022

Trade name: SCORPION® 35SL Insecticide

(Contd. of page 1)

HAZARD INDEX:

- 4 Severe Hazard
- 3 Serious Hazard
- 2 Moderate Hazard
- 1 Slight Hazard
- 0 Minimal Hazard
- · Other hazards
 - · Results of PBT and vPvB assessment
 - · **PBT:** Not applicable in US.
 - · vPvB: Not applicable in US.

3 Composition/information on ingredients

- · Chemical characterization: Mixtures
 - · Description: Only the identities of the active ingredient(s) and any hazardous inert ingredients are listed.
 - · Dangerous components:

CAS: 165252-70-0 Dinotefuran

35.0%

Aquatic Chronic 2, H411; Skin Irritation 2, H315; Eye Irritation 2A, H319; Specific Target Organ Toxicity - Single Exposure 3, H335; Aquatic Acute 2, H401

4 First-aid measures

- · Description of first aid measures
 - · General information:

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

You may also contact 1-888-478-0798 for emergency medical treatment information.

- · After skin contact:
- Take off contaminated clothing.
 - Rinse skin immediately with plenty of water for 15-20 minutes.
- Call a poison control center or doctor for treatment advice.
- · After eye contact:
- Hold eye open and rinse slowly and gently with water for 15-20 minutes.
 - Remove contact lenses, if present, after first 5 minutes, then continue rinsing eyes.
 - Call a poison control center or doctor for treatment advice.
- · After swallowing:
- Call a poison control center or doctor immediately for treatment advice.
 - Have person sip a glass of water if able to swallow.
- Do not induce vomiting unless told to do so by a poison control center or doctor.
- Do not give anything by mouth to an unconscious person.
- · Information for doctor:
 - · Most important symptoms and effects, both acute and delayed Unknown
 - · Indication of any immediate medical attention and special treatment needed None

5 Fire-fighting measures

- · Extinguishing media
 - · Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

Special hazards arising from the substance or mixture Carbon dioxide (CO2)

(Contd. on page 3)

Printing date 10/06/2022 Reviewed on 10/06/2022

Trade name: SCORPION® 35SL Insecticide

(Contd. of page 2)

Nitrogen oxides (NOx)

· Advice for firefighters

Products of combustion from fires involving this material may be toxic. Avoidbreathing smoke and mists. Avoid personnel and equipment contact with fallout and runoff. Minimize the amount of water used for fire fighting. Do not enter any enclosed area without full protective equipment, including self-contained breathing equipment. Contain and isolate runoff and debris for proper disposal. Decontaminate personal protective equipment and fire fighting equipment before reuse. Read the entire document. This material is not expected to bum or explode in normal conditions, but will bum violently if involved in a fire.

· **Protective equipment:** Wear self-contained respiratory protective device.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

· Environmental precautions:

This pesticide is toxic to aquatic invertebrates. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not apply when weather conditions favor drift from treated areas. Drift and runoff from treated areas may be hazardous to aquatic organisms in water adjacent to treated areas. Do not dispose of equipment washwaters or rinsate into a natural drain or water body. Do not contaminate water when disposing of equipment washwaters or rinsate.

This compound is highly toxic to honey bees. The persistence of residues and potential residual toxicity of Dinotefuran in nectar and pollen suggests the possibility of chronic toxic risk to honey bee larvae and the eventual instability of the hive.

This product is toxic to bees exposed to residue for more than 38 hours following treatment. Do not apply this product to blooming, pollen-shedding or nectar-producing parts of plants if bees may forage on the plants during this time period, unless the application is made in response to a public health emergency declared by appropriate state or federal authorities.

Dinotefuran and its degradate, MNG have the properties and characteristics associated with chemicals detected in groundwater. The high water solubility of Dinotefuran, and its degradate, MNG, coupled with their very high mobility, and resistance to biodegradation indicates that these compounds have a strong potential to leach to the subsurface under certain conditions as a result of label use. The use of this product in areas where soils are permeable, particularly where the water table is shallow, may result in ground water contamination.

· Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

· Protective Action Criteria for Chemicals

· *PAC-1*:

None of the ingredients are listed.

· PAC-2:

None of the ingredients are listed.

· PAC-3:

None of the ingredients are listed.

US

Printing date 10/06/2022 Reviewed on 10/06/2022

Trade name: SCORPION® 35SL Insecticide

(Contd. of page 3)

7 Handling and storage

- · Handling:
 - · Precautions for safe handling

Harmful if absorbed through skin. Harmful if swallowed. Causes moderate eye irritation. Avoid contact with skin, eyes or clothing. Wear long-sleeved shirt, long pants, socks, shoes and gloves. Wear protective eyewear.

- · Information about protection against explosions and fires: Keep ignition sources away Do not smoke.
- · Conditions for safe storage, including any incompatibilities
 - Storage:
 - Requirements to be met by storerooms and receptacles:

Keep pesticide in original container. Do not put concentrate or dilute into food or drink containers. Store in a cool, dry place. Do not store diluted spray.

- · Information about storage in one common storage facility: Store away from foodstuffs.
- · Further information about storage conditions: Store in a cool, dry place.
- · Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- · Additional information about design of technical systems: Not applicable; see item 7 Handling and storage.
- · Control parameters
 - · Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

Additional information:

Harmful if absorbed through skin. Harmful if swallowed. Causes moderate eye irritation. Avoid contact with skin, eyes or clothing. Wear long-sleeved shirt, long pants, socks, shoes and gloves. Wear protective eyewear

- · Exposure controls
 - · Personal protective equipment:
 - General protective and hygienic measures:

Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco. Remove and wash contaminated clothing before reuse.

- · Breathing equipment: Not required.
- · Protection of hands:



Protective gloves

- · Material of gloves Chemical-resistant made of any waterproof material
- Body protection:

Protective work clothing

Applicators and other handlers must wear:

- · Long-sleeved shirts and long pants
- · Chemical-resistant gloves made of any waterproof material such as polyethylene or polyvinyl
- Shoes plus socks

US

Printing date 10/06/2022 Reviewed on 10/06/2022

Trade name: SCORPION® 35SL Insecticide

(Contd. of page 4)

Information on basic physical and chemical properties				
Information on basic physical and chemical properties · General Information				
· Appearance:				
· Form:	Liquid			
· Color:	Pale yellow to red			
· Odor:	Amine-like			
· Odor threshold:	Not determined.			
· pH-value at 20 °C (68 °F):	5.2			
· Change in condition				
· Melting point/Melting range:	Undetermined.			
Boiling point/Boiling range:	208 °C (406.4 °F)			
· Flash point:	Not applicable.			
· Flammability (solid, gaseous):	Not applicable.			
· Decomposition temperature:	Not determined.			
· Auto igniting:	Product is not self-igniting. Product does not present an explosion hazard.			
Danger of explosion:				
Explosion limits:				
· Lower:	Not determined.			
· Upper:	Not determined.			
· Vapor pressure:	Not determined.			
Density at 20 °C (68 °F):	1.114 g/cm³ (9.29633 lbs/gal)			
· Relative density	Not determined.			
· Vapor density	Not determined.			
· Evaporation rate	Not determined.			
· Solubility in / Miscibility with				
Water:	Dispersible.			
· Partition coefficient (n-octanol/water): Not determined.				
· Viscosity:				
· Dynamic:	Not determined.			
· Kinematic:	Not determined.			

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability Stable under normal conditions
 - Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid Heat and sources of ignition.
- · Incompatible materials: Strong oxidizers
- Hazardous decomposition products: No dangerous decomposition products known to be formed.

Printing date 10/06/2022 Reviewed on 10/06/2022

Trade name: SCORPION® 35SL Insecticide

(Contd. of page 5)

11 Toxicological information

- · Information on toxicological effects
 - · Acute toxicity:

LD/LC50 values that are relevant for a	classification:
--	-----------------

Oral	LD50	>2,000 mg/kg (rat)
Dermal	LD50	>2,000 mg/kg (rat)
Inhalative	LC50/4 h	2.02 mg/l (rat)

- · Primary irritant effect:
 - on the skin: No irritant effect.
 - on the eye: Slight irritation
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information: Harmful
 - · Carcinogenic categories
 - · IARC (International Agency for Research on Cancer)

None of the ingredients are listed.

· NTP (National Toxicology Program)

None of the ingredients are listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients are listed.

12 Ecological information

· Toxicity

This pesticide is toxic to aquatic invertebrates. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not apply when weather conditions favor drift from treated areas. Drift and runoff from treated areas may be hazardous to aquatic organisms in water adjacent to treated areas. Do not dispose of equipment washwaters or rinsate into a natural drain or water body. Do not contaminate water when disposing of equipment washwaters or rinsate.

This compound is highly toxic to honey bees. The persistence of residues and potential residual toxicity of Dinotefuran in nectar and pollen suggests the possibility of chronic toxic risk to honey bee larvae and the eventual instability of the hive.

This product is toxic to bees exposed to residue for more than 38 hours following treatment. Do not apply this product to blooming, pollen-shedding or nectar-producing parts of plants if bees may forage on the plants during this time period, unless the application is made in response to a public health emergency declared by appropriate state or federal authorities.

Dinotefuran and its degradate, MNG have the properties and characteristics associated with chemicals detected in groundwater. The high water solubility of Dinotefuran, and its degradate, MNG, coupled with their very high mobility, and resistance to biodegradation indicates that these compounds have a strong potential to leach to the subsurface under certain conditions as a result of label use. The use of this product in areas where soils are permeable, particularly where the water table is shallow, may result in ground water contamination.

- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
 - Other information:

LC50 (96 hr) Bluegill Sunfish: greater than 100 mg/I;

LC50 (96 hr) Rainbow Trout: greater than 100 mg/l;

LC50 (96 hr) Common Carp: greater than 100 mg/I

(Contd. on page 7)

Printing date 10/06/2022 Reviewed on 10/06/2022

Trade name: SCORPION® 35SL Insecticide

(Contd. of page 6)

LC50 (96 hr) Sheepshead Minnow: greater than 109 mg/I

NOEC (early life stage) Rainbow Trout: greater than 10 mg/I;

EC50 (48 hr) Daphnia magna: greater than 1000 mg/I;

NOEC (Iifecycle) Daphnia magna: greater than 10 mgll;

LC50 (96 hr) Mysid Shrimp: 0.79 mgll;

EC50 (96 hr) Oyster Shell Deposition: greater than 141 mg/l.

- · Behavior in environmental systems:
 - · Bioaccumulative potential No further relevant information available.
 - · Mobility in soil No further relevant information available.
- · Results of PBT and vPvB assessment
 - · **PBT:** Not applicable.
 - · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
 - · Recommendation:

Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

- · Uncleaned packagings:
 - · Recommendation:

Nonrefillable container. Do not reuse or refill this container. Offer for recycling, if available. Triple rinse container (or equivalent) promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container \(^1\)/4 full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times. After cleaning, if recycling is not available, puncture and dispose of in a sanitary landfill or by incineration or if allowed by State and local authorities by burning. If burned, stay out of smoke.

Recommended cleansing agent: Water, if necessary with cleansing agents.

UN-Number	
· DOT, ADR, IMDG, IATA	Void
\cdot ADN	Not regulated
UN proper shipping name	
· DOT, ADR, IMDG, IATA	Void
$\cdot ADN$	Not regulated
Transport hazard class(es)	
· DOT, ADR, IMDG, IATA	
· Class	Void
· ADN/R Class:	Not regulated
Packing group	
· DOT, ADR, IMDG, IATA	Void
Environmental hazards:	Product contains environmentally hazardous substances: 1,2 benzisothiazolin-3-one, Dinotefuran
· Marine pollutant:	No

-US

Printing date 10/06/2022 Reviewed on 10/06/2022

Trade name: SCORPION® 35SL Insecticide

(Contd. of page 7)

		(Conta. or page 7)
· Special precautions for user	Not applicable	
· Transport in bulk according to Annex MARPOL73/78 and the IBC Code	II of Not applicable	
· UN "Model Regulation":	Void	

15 Regulatory information

· Safety, health and environmental regulations/legislation specific for the substance or mixture EPA /FIFRA Information:

This chemical is a pesticide product registered by the Environmental Protection Agency (EPA) and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals.

- · Marketing authorization number:
 - · SARA Title III
 - · Section 355 (extremely hazardous substances):

None of the ingredients are listed.

Section 313 (Specific toxic chemical listings):

None of the ingredients are listed.

· TSCA (Toxic Substances Control Act):

None of the ingredients are listed.

· Hazardous Air Pollutants

None of the ingredients are listed.

- · Proposition 65
 - · Chemicals known to cause cancer:

None of the ingredients are listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients are listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients are listed.

Chemicals known to cause developmental toxicity:

None of the ingredients are listed.

- · Carcinogenicity categories
 - · EPA (Environmental Protection Agency)

None of the ingredients are listed.

· TLV (Threshold Limit Value)

None of the ingredients are listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients are listed.

· GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

(Contd. on page 9)

Printing date 10/06/2022 Reviewed on 10/06/2022

Trade name: SCORPION® 35SL Insecticide

(Contd. of page 8)

· Hazard pictograms

Not applicable

· Signal word

(US EPA) CAUTION

· Hazard statements

Harmful if absorbed through skin. Harmful if swallowed. Causes moderate eye irritation. Avoid contact with skin, eyes or clothing. Wear long-sleeved shirt, long pants, socks, shoes and gloves. Wear protective eyewear. H302 Harmful if swallowed.

H401 Toxic to aquatic life.

- · Precautionary statements HAZARDOUS TO HUMANS AND DOMESTIC ANIMALS
- · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Systems Design and Control
- · Contact: sds@gowanco.com
 - Date of preparation / last revision 10/06/2022
 - · Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

Acute Toxicity - Oral 4: Acute toxicity - Category 4

Skin Irritation 2: Skin corrosion/irritation – Category 2

Eye Irritation 2A: Serious eye damage/eye irritation – Category 2A

Specific Target Organ Toxicity - Single Exposure 3: Specific target organ toxicity (single exposure) - Category 3

Aquatic Acute 2: Hazardous to the aquatic environment - acute aquatic hazard - Category 2

Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard - Category 2

· Sources SCORPION® 35SL INSECTICIDE is a registered trademark of Gowan Company L.L.C.